



355/303

Deadlocks



355 Deadlock

The top security features provided by the 355 Deadlock make it an ideal lockset for both domestic and commercial applications.

Features & Specifications

Suitable for hinged or sliding doors, the 355 features lockable turnknob with inbuilt clutching device to resist wrench attack, turnknob is interlocked in the case to resist hammer attack, strong interlocking case and mounting plate to resist jemmy attack, along with concealed fixing and a positive deadlocking action.

The mechanism and the design are protected by Australian and International Patents and Design Registrations.

Case

Thick walled, high purity zinc alloy casting. 121 mm wide, 76 mm high, 56 mm projection.

Backset

60 mm.

Bolt

Stainless steel.

Mounting Plate & Strike

Pressed steel.

Case Retainer Plate & Operating Mechanism

Solid pressed steel and diecast zinc components.

Packing Plates

3 mm thick packing plates installed under lock body to align lock body with face of jamb.

Strike Conversion Plate

A strike conversion plate is required where the strike is to be installed in place of an existing flanges strike.



Door Thickness

30 to 45 mm.

Cylinders

5 pin tumbler mechanism inside and outside with brass cylinders and barrels.

Keying

Standard

Supplied individually keyed with two keys per lock. 78,000 key combinations. Key blank KB2015P.

Special Keying

Can be keyed alike, master keyed, grand master keyed, maison keyed or construction keyed in Lockwood security keying systems.

Finishes


Standard

Gold Plated	GLD
Satin Chrome	SC
Bright Chrome	CP
Brown	BRN

Available in Trade and Display Pack.

355-N Double Cylinder Deadlock

Opened by key from outside and by turnknob from inside when free. Key inside locks or unlocks turnknob.



355/303 Deadlocks

303 Deadlock

The security features provided by the 303 Deadlock make it an ideal lockset for both domestic and commercial applications.

Features & Specifications

Suitable for hinged or sliding doors, the 303 features a strong interlocking case and mounting plate to resist jemmy attack, along with concealed fixing and a positive deadlocking action.

The mechanism and the design are protected by Australian and International Patents and Design Registrations.

Case

Thick walled, high purity zinc alloy casting. 121 mm wide, 76 mm high, 56 mm projection.

Backset

60 mm.

Bolt

Stainless steel.

Mounting Plate & Strike

Pressed steel.

Case Retainer Plate & Operating Mechanism

Solid pressed steel and zinc diecast components.

Door Thickness

30 to 45 mm.

Cylinders

5 pin tumbler mechanism inside and outside with brass cylinders and barrels.

Packing Plates

3 mm thick packing plates installed under lock body to align lock body with face of jamb.



Strike Conversion Plate

A strike conversion plate is required where the strike is to be installed in place of an existing flanges strike.

Keying

Standard

Supplied individually keyed with two keys per lock. 78,000 key combinations. Key blank KB2015P.

Special Keying

Can be keyed alike, master keyed, grand master keyed, maison keyed or construction keyed in Lockwood security keying systems.

Finishes


Standard

Gold Plated	GLD
Satin Chrome	SC
Bright Chrome	CP
Brown	BRN

Available in Trade and Display Pack.

303-N Single Cylinder Deadlock

Opened by key from outside and by turnknob from inside.





Visit us at: www.lockwoodsecurity.com.au

Sales Offices & Authorised Agents

Victoria – Head Office

50 Edward Street
Oakleigh Vic. 3166
Telephone (03) 8574 3888
Facsimile (03) 8574 3788

Queensland South

450 Sherwood Road
Sherwood Qld 4075
Telephone (07) 3373 5200
Facsimile (07) 3373 5256

Queensland North

Ralph Buck Agencies
15 Mackley Street
Garbutt Qld 4814
Telephone (07) 4779 0177
Facsimile (07) 4775 1480

New South Wales

Unit 7, 192 Kingsgrove Road
Kingsgrove NSW 2208
Telephone (02) 9554 4011
Facsimile (02) 9554 3772

South Australia

182 Magill Road
Norwood SA 5067
Telephone (08) 8364 1930
Facsimile (08) 8364 1931

Western Australia

45 Gladstone Street
East Perth WA 6004
Telephone (08) 9227 9588
Facsimile (08) 9227 8913

Tasmania

23 Antill Street
South Hobart Tas. 7000
Telephone (03) 6223 5404
Facsimile (03) 6224 0435

Northern Territory

Taylor Enterprises
Lot 1360 Makagon Road
Berrimah NT 0828
Telephone (08) 8984 3653
Facsimile (08) 8947 0082

New Zealand

9B Mahunga Drive
Mangere Bridge
Auckland New Zealand
Telephone (09) 634 5590
Facsimile (09) 634 5589

Export Department

50 Edward Street
Oakleigh Vic. 3166
Telephone +61 (0)3 8574 3888
Facsimile +61 (0)3 8574 3700



Manufacturing Plants

Victoria

50 Edward Street
Oakleigh Vic. 3166
Telephone (03) 8574 3888
Facsimile (03) 8574 3788

Queensland

450 Sherwood Road
Sherwood Qld 4075
Telephone (07) 3373 5200
Facsimile (07) 3373 5256

Asian Offices

ASSA ABLOY – Malaysia

ASSA ABLOY – Singapore

ASSA ABLOY – Thailand

ASSA ABLOY – Hong Kong

ASSA ABLOY – Shanghai

ASSA ABLOY – Beijing

Contact the Export Department, Australia for details.

Worldwide Distributors

Contact the Export Department, Australia for details.



Lockwood Guarantee

Lockwood Security Products Pty Limited ("Lockwood") guarantees its products against defects in workmanship and materials. If within the normal working life of a product it is found to be defective, Lockwood will supply the same or an equivalent product free of charge.

All electrical components used in our products are guaranteed for a period of five years from the date of manufacture. Lockwood however, assumes no liability under this guarantee for the following:

1. Improper installation or failure to follow fitting instructions.
2. Failure due to improper maintenance or fair wear and tear.
3. Indirect or consequential loss or damage.
4. Cost of removal and/or replacement.

5. Cost of freight and/or travelling time.

6. The plated finishes, Florentine Bronze, Architectural Bronze, Polished Brass, Gold and Satin Brass are classified as soft finishes. As deterioration is possible under some climatic conditions, these finishes are excluded from this guarantee.

7. Any modification to a product as supplied, or repairs, unless authorised by Lockwood.

8. Use of replacement parts other than authorised parts.

9. Malfunction or failure of the product due to the use of non-genuine Lockwood parts.

Nothing in the Lockwood guarantee excludes, restricts or modifies any condition, warranty, right or liability implied or protected by law where to do so would render the Guarantee, or any part of it, void.



Lockwood Security Products Pty Limited ABN 90 086 451 907

An ASSA ABLOY Group company

ASSA ABLOY