



Artefact

Artefact

Series II

Door Furniture



Artefact Series II Door Furniture



Lever



Plates



Sunline Series



Engraving



Pull Handle & Plates

The distinguished range of Artefact in Aluminium, Brass and Stainless Steel, offers architects and specifiers a complete range of slim line, door furniture plates.

Suitable for use in public, commercial, industrial, institutional and residential

buildings, where there is a need for high grade and durable fittings.

Artefact range of door furniture plates offers a selection of functions with engraving available to suit most requirements.

Artefact Designer Plate Series offers the designer freedom to create their own individual design.



Artefact Designer Series

Artefact Series II Door Furniture

Contents

Description	Page
Ordering Procedure	4
Lockwood Door Furniture Handing Convention	6
Aluminium Square Corner Plates	7
Aluminium 10 mm Radius Corner Plates	8
Aluminium Sunline Plates	9
Stainless Steel Square Corner Plates	10
Stainless Steel Radius Corner Plates	11
Stainless Steel Sunline Plates	12
Radius Round End Plates	13
Rose Furniture	14
Escutcheon Furniture 50 mm Diameter	14
Detention Furniture	15
Artefact Designer Plate Series	16
Corporate Engraving	16
Standard Engraving	16
218/219 10 mm Radius Corner Push/Pull Plates	17
216/217 10 mm Radius Corner Push/Pull Plates	18
214/215 10 mm Radius Corner Push/Pull Plates	19
Special Size Push & Pull Plates	20
Solid Brass Pull Handles	21
Stainless Steel Pull Handles	22
Stainless Steel Pull Handles with Rose	22
Finishes	23
Limiting Dimensions for Lever/Knob Selections	23
Legend	25
Link Products	26

Ordering Procedure

20000 Series

Plate Shape	
Exterior Plate (162 x 162) – Square Corners	200
Interior Plate (162 x 162) – Square Corners	201
Exterior Plate (162 x 162) – Radius Corners	202
Interior Plate (162 x 162) – Radius Corners	203
Exterior Plate (200 x 300) – Tasman	204
Interior Plate (200 x 300) – Tasman	205
Exterior Plate (250 x 200)	206
Interior Plate (250 x 200)	207
Exterior Plate (324 x 162)	208
Interior Plate (324 x 162)	209
Exterior Plate (200 x 175) – Sunline	210
Interior Plate (200 x 175) – Sunline	211
Exterior Plate (162 x 50) – Oval	212
Interior Plate (162 x 50) – Oval	213
Exterior Plate (300 x 100) – Radius Corners	214
Interior Plate (300 x 100) – Radius Corners	215
Exterior Plate (300 x 65) – Radius Corners	216
Interior Plate (300 x 65) – Radius Corners	217
Exterior Plate (250 x 50) – Radius Corners	218
Interior Plate (250 x 50) – Radius Corners	219
Exterior Detention Plate (162 x 162) – R Cnr	220
Interior Detention Plate (162 x 162) – R Cnr	221

Engraving Options	
Male symbol	A R
Male text	B S
Female symbol	C T
Female text	D U
Disabled symbol	E V
Push text	F W
Pull text	G X
No option	N
Miscellaneous text*	P
Corporate Engraving**	Q

* Separate charge per letter
** Separate charge per logo
For all in-filled engraving, black gloss is the standard.

A-G	Outlined Infill
R-X	Full Infill

Lever/Knob Type Selection	
Brass Levers/Knobs	
00 14 20 32 39 40	
41* 42* 43 44 45 48*	
49 50* 51* 53* 54* 57	
59 60 61* 69 70 71	
72 73 74 80 83 87	
90 97	
Stainless Steel Levers	
96 98	
Aluminium Levers/Knobs	
20 88 96 98	
Brass Pull Handles	
01 02 03 04 05 06	
07 08 09 10 11 12	
13	
Stainless Steel Pull Handles	
16 17 18 19	
Aluminium Pull Handles	
75 85	

* Specify Handing

Handing of Door	
Left	L
Right	R
Non Handed	N

200 02 Q A 70 L CP

Function	
Cylinder Only	00
Cylinder & Lever	01
Emergency Turn Only	02
Emergency Turn & Lever	03
Turn Knob & Lever	04
Lever Only	05
Turn Knob Only	06
Plain Plate	07
Cylinder & Fixed Lever	08
Fixed Lever Only	09
Dual Cylinder	10
Hotel-Motel & Lever	11
Privacy Indicator Emergency Turn Only	13
Privacy Indicator Emergency Turn & Lever	14
Privacy Indicator Turn Knob Only	15
Privacy Indicator Turn Knob & Lever	16
Cylinder, Lever & LED	20
Cylinder, Fixed Lever & LED	21
Lever & LED	22
Cylinder & LED	23
Pull Handle Only	24
Pull Handle & Cylinder	25
Pull Handle & Emergency Turn	26
Pull Handle & Turn Knob	27
Pull Handle & Privacy Indicator Emergency Turn	28
Pull Handle & Privacy Indicator Turn Knob	29
Pull Handle & Dual Cylinder	30
Flush Pull Only	31
Flush Pull & Cylinder	32
Flush Pull & Emergency Turn	33
Flush Pull & Turn Knob	34
Flush Pull & Privacy Indicator Emergency Turn	35
Flush Pull & Privacy Indicator Turn Knob	36
Flush Pull & Dual Cylinder	37
Disabled Turn Only	38
Disabled Turn & Lever	39
Privacy Indicator Disabled Turn	40
Privacy Indicator Disabled Turn & Lever	41
Pull Handle & Disabled Turn	42
Pull Handle & Privacy Indicator Disabled Turn	43

Cylinder Shape	
Oval Cylinder – 32 mm (H) x 18 mm (W)	A
Lockwood 570 Cylinders	
Guarded Oval Cylinder –	
32 mm (H) x 18 mm (W)	B
Lockwood 570 Cylinders	
Round Cylinder – 32 mm diameter	C
Lockwood 570 Cylinders	
No Cylinder Function	N
Non Standard Cylinder Shapes	
Guarded Oval Cylinder – 35 (H) x 20 (W)	E

Finish Selection	
Brass Lever/Knob Finishes	
Chrome Plate	CP
Satin Chrome	SC
Florentine Bronze	FB
Polished Brass	PB
Polished Brass Unlacquered	BU
Black Chrome Plate	BC
Polyester Powdercoat	PC
Stainless Steel Lever Finishes	
Polished Stainless Steel	PS
Satin Stainless Steel	SS
Aluminium Lever/Knob Finishes	
Natural Anodised Finish	NT


Artefact Series II Door Furniture

Ordering Procedure (continued)

260 Series





Escutcheon




Lockwood Door Furniture Handing Convention

Applicable for all Artefact Series II Handles.



Example



Artefact Series II Door Furniture

Aluminium Square Corner Plates

Description

The 200 Series Door Furniture is 162 mm square x 3 mm thick aluminium with square corners. Concealed fixed plates have studs with internal threads located in each corner, visible fixed plates have corresponding countersunk holes and are fixed back to back through the door.

Application

Designed for use with Lockwood 3570 Series Mortice Locks; Latches and Push and Pull doors.

Features & Specifications

Dimensions

162 x 162 x 3 mm.

Materials

Aluminium.

Door Thickness

35 to 45 mm standard. For doors 45 to 55 mm thick, specify long fixing screws SP2000-208.

Finishes

Standard

Natural Anodised Aluminium NT

Non-Standard


Refer to page 23

Ordering Procedure


The 200 Series is ordered to suit right or left handed doors. It is necessary to specify the furniture plate and finish code, eg 20001QA/96LNT.




Lever/Knob Selection




Pull Handle Selection



Ordering Procedure



Limiting Dimensions



20000NA	20100NA	20002NN	20006NN	20106NN	20010NA	20013NN	20138NN		
20007AN	20007CN	20007EN	20007FN	20007NN	20107NN				
20001NA	20101NA	20003NN	20004NN	20104NN	20111NN	20014NN	20020NA	20120NA	
20005NN	20105NN	20022NN	20122NN	20139NN					
20024NN/75*	20124NN/75*	20025NA/75*	20125NA/75*	20027NN/75*	20127NN/75*	20028NN/75*	20142NN/75*		
20024AN/75*	20024CN/75*	20024EN/75*	20024GN/75*	20031NN	20131NN	20032NA	20132NA	20035NN	20134NN

Legend:

- Cylinder Hole
- Turn-Snib
- Recessed Flush Pull
- Slotted Button
- Indicating Slotted Button
- Disabled Turn-Snib
- Hotel-Motel Function
- LED

See page 25 for details

Artefact Series II Door Furniture

Aluminium 10 mm Radius Corner Plates

Description

The 202 Series Door Furniture is 162 mm square x 3 mm thick aluminium with 10 mm radius corners. Concealed fixed plates have studs with internal threads located in each corner, visible fixed plates have corresponding countersunk holes and are fixed back to back through the door.

Application

Designed for use with Lockwood 3570 Series Mortice Locks; Latches and Push and Pull doors.

Features & Specifications

Dimensions

162 x 162 x 3 mm.

Materials

Aluminium.

Door Thickness

35 to 45 mm standard. For doors 45 to 55 mm thick, specify long fixing screws SP2000-208.

Finishes

Standard

Natural Anodised Aluminium NT

Non-Standard

Refer to page 23

Ordering Procedure



The 202 Series is ordered to suit right or left handed doors. It is necessary to specify the furniture plate and finish code, eg 20201QA/96LNT.




Lever/Knob Selection




Pull Handle Selection



Ordering Procedure



Limiting Dimensions



20200NA	20300NA	20202NN	20206NN	20306NN	20210NA	20213NN	20338NN		
20207AN	20207CN	20207EN	20207FN	20207NN	20307NN				
20201NA	20301NA	20203NN	20204NN	20304NN	20311NN	20214NN	20220NA	20320NA	
20205NN	20305NN	20222NN	20322NN	20339NN					
20224NN/75*	20324NN/75*	20225NA/75*	20325NA/75*	20227NN/75*	20327NN/75*	20228NN/75*	20342NN/75*		
20224AN/75*	20224CN/75*	20224EN/75*	20224GN/75*	20231NN	20331NN	20232NA	20332NA	20235NN	20234NN

Legend:

- Cylinder Hole
- Turn-Snib
- Recessed Flush Pull
- Slotted Button
- Indicating Slotted Button
- Disabled Turn-Snib
- Hotel-Motel Function
- LED

See page 25 for details

Artefact Series II Door Furniture

Aluminium Sunline Plates

Description

The 210 Series Door Furniture is 3 mm thick aluminium and has an overall diameter of 200 mm with an offset parallel to the door edge. Concealed fixed plates have studs with internal threads, visible fixed plates have corresponding countersunk holes and are fixed back to back through the door.

Application

Designed for use with Lockwood 3570 Series Mortice Locks; Latches and Push and Pull doors.

Features & Specifications

Dimensions

200 x 175 x 3 mm.

Materials

Aluminium.

Door Thickness

35 to 45 mm standard. For doors 45 to 55 mm thick, specify long fixing screws SP2000-208.

Finishes

Standard

Natural Anodised Aluminium NT

Non-Standard


Refer to page 23

Ordering Procedure


The 210 Series is ordered to suit right or left handed doors. It is necessary to specify the furniture plate and finish code, eg 21001QA/96LNT.




Lever/Knob Selection




Pull Handle Selection



Ordering Procedure



Limiting Dimensions



21000NA	21100NA	21002NN	21006NN	21106NN	21010NA	21031NN	21138NN		
21007AN	21007CN	21007EN	21007FN	21007NN	21107NN				
21001NA	21101NA	21003NN	21004NN	21104NN	21111NN	21014NN	21020NA	21120NA	
21005NN	21105NN	21022NN	21122NN	20139NN					
21024NN/75*	21124NN/75*	21025NA/75*	21125NA/75*	21027NN/75*	21127NN/75*	21028NN/75*	21142NN/75*		
21024AN/75*	21024CN/75*	21024EN/75*	21024GN/75*	21031NN	21131NN	21032NA	21132NA	21134NN	21035NN

Legend:

- Cylinder Hole
- Turn-Snib
- Recessed Flush Pull
- Slotted Button
- Indicating Slotted Button
- Disabled Turn-Snib
- Hotel-Motel Function
- LED

See page 25 for details

Artefact Series II Door Furniture

Stainless Steel Square Corner Plates

Description

The 200 Series Door Furniture is 162 mm square x 2 mm thick stainless steel or brass with square corners. Concealed fixed plates have studs with internal threads located in each corner, visible and fixed plates have corresponding countersunk holes and are fixed back to back through the door.

Application

Designed for use with Lockwood 3570 Series Mortice Locks; Latches and Push and Pull doors.

Finishes

Standard

Satin Stainless Steel SS
Polished Brass PB

Non Standard

refer to page 23

Features & Specifications

Dimensions

162 x 162 x 2 mm.

Materials

Stainless steel or brass.

Door Thickness

35 to 45 mm standard. For doors 45 to 55 mm thick, specify long fixing screws SP2000-208.

Ordering Procedure

The 200 Series is ordered to suit right or left handed doors. It is necessary to specify the furniture plate and finish code, eg 20001QA/96LNT.




Lever/Knob Selection 00, 20, 32, 39, 40, 41, 42, 43, 44, 45, 48, 49, 50, 51, 53, 54, 57, 59, 60, 61, 69, 70, 71, 72, 73, 74, 80, 83, 87, 90, 96, 97, 98.

Pull Handle Selection




Stainless Steel lever/handle, 16, 96, 98. Refer to pages 23 and 24 for limiting dimensions.

Ordering Procedure



Limiting Dimensions



20000NA	20100NA	20002NN	20006NN	20106NN	20010NA	20013NN	20138NN		
20007AN	20007CN	20007EN	20007FN	20007NN	20107NN				
20001NA	20101NA	20003NN	20004NN	20104NN	20111NN	20014NN	20020NA	20120NA	
20005NN	20105NN	20022NN	20122NN	20139NN					
20024NN/16*	20124NN/16*	20025NA/16*	20125NA/16*	20027NN/16*	20127NN/16*	20028NN/16*	20142NN/16*		
20024AN/16*	20024CN/16*	20024EN/16*	20024GN/16*	20031NN	20131NN	20032NA	20132NA	20035NN	20134NN

Legend:

- Cylinder Hole
- Turn-Snib
- Recessed Flush Pull
- Slotted Button
- Indicating Slotted Button
- Disabled Turn-Snib
- Hotel-Motel Function
- LED

See page 25 for details

Artefact Series II Door Furniture

Stainless Steel Radius Corner Plates

Description

The 202 Series Door Furniture is 162 mm square x 2 mm thick stainless steel or brass with 10 mm radius corners. Concealed fixed plates have studs with internal threads located in each corner, visible fixed plates have corresponding countersunk holes and are fixed back to back through the door.

Application

Designed for use with Lockwood 3570 Series Mortice Locks; Latches and Push and Pull doors.

Finishes

Standard

Satin Stainless Steel SS
Polished Brass PB

Non-Standard

Refer to page 23

Features & Specifications

Dimensions

162 x 162 x 2 mm.

Materials

Stainless steel or brass.

Door Thickness

35 to 45 mm standard. For doors 45 to 55 mm thick, specify long fixing screws SP2000-208.


Ordering Procedure

The 202 Series is ordered to suit right or left handed doors. It is necessary to specify the furniture plate and finish code, eg 20201QA/96LNT.




Lever/Knob Selection 00, 20, 32, 39, 40, 41, 42, 43, 44, 45, 48, 49, 50, 51, 53 54, 57, 59, 60, 61, 69, 70, 71, 72, 73, 74, 80, 83, 87, 90, 96, 97, 98.

Pull Handle Selection







Stainless Steel lever/handle, 16, 96, 98. Refer to pages 23 and 24 for limiting dimensions.

Ordering Procedure



Limiting Dimensions



Legend: Cylinder Hole Turn-Snib Recessed Flush Pull Slotted Button Indicating Slotted Button Disabled Turn-Snib

Hotel-Motel Function LED

See page 25 for details

Artefact Series II Door Furniture

Stainless Steel Sunline Plates

Description

The 210 Series Door Furniture is 2 mm thick stainless steel or brass and has an overall diameter of 200 mm with an offcut parallel to the door edge. Concealed fixed plates have studs with internal threads located in each corner, visible fixed plates have corresponding countersunk holes and are fixed back to back through the door.

Application

Designed for use with Lockwood 3570 Series Mortice Locks; Latches and Push and Pull doors.

Features & Specifications

Dimensions

200 x 175 x 2 mm.

Materials

Stainless steel or brass.

Door Thickness

35 to 45 mm standard. For doors 45 to 55 mm thick, specify long fixing screws SP2000-208.

Finishes

Standard

Satin Stainless Steel SS

Non-Standard

Refer to page 23

Ordering Procedure


The 210 Series is ordered to suit right or left handed doors. It is necessary to specify the furniture plate and finish code, eg 21001QA/96LSS.




Lever/Knob Selection Refer page 10

Pull Handle Selection Refer page 10

Ordering Procedure



Limiting Dimensions



21000NA	21100NA	21002NN	21006NN	21106NN	21010NA	21031NN	21138NN		
21007AN	21007CN	21007EN	21007FN	21007NN	21107NN				
21001NA	21101NA	21003NN	21004NN	21104NN	21111NN	21014NN	21020NN	21120NA	
21005NN	21105NN	21022NN	21122NN	21139NN					
21024NN/16*	21124NN/16*	21025NA/16*	21125NA/16*	21027NN/16*	21127NN/16*	21028NN/16*	21142NN/16*		
21024AN/16*	21024CN/16*	21024EN/16*	21024GN/16*	21031NN	21131NN	21032NA	21132NA	21134NN	21035NN

Legend:

- Cylinder Hole
- Turn-Snib
- Recessed Flush Pull
- Slotted Button
- Indicating Slotted Button
- Disabled Turn-Snib
- Hotel-Motel Function
- LED

See page 25 for details

Artefact Series II Door Furniture

Radius Round End Plates

Description

The 212 Series Door Furniture is 162 mm long x 50 mm wide with radius ends. Concealed fixed plates have studs with internal threads located top and bottom, visible fixed plates have corresponding countersunk holes and are fixed back to back through the door.

Application


Designed for use with Lockwood 3570 Series Mortice Latches.

Features & Specifications

Dimensions

SS/Brass 162 x 50 x 2 mm
Aluminium 162 x 50 x 3 mm

Limiting Dimensions



Materials

Aluminium, stainless steel or brass.

Door Thickness

35 to 45 mm standard. For doors 45 to 55 mm thick, specify long fixing screws SP2000-208.

Finishes

Standard

Aluminium, Stainless Steel and Brass door furniture.

Non-Standard

Refer to page 23

Ordering Procedure


The 212 Series is a non-handed plate, however consideration to handing must be given to Lever Selection. It is necessary to specify the furniture plate and finish code, eg 21201NA/96NSS.



Lever/Knob Selection

Aluminium					Stainless Steel											
Brass																

Ordering Procedure



Legend:

- Cylinder Hole
- Turn-Snib
- Slotted Button
- Indicatin Slotted Button
- Disabled Turn-Snib
- Hotel-Motel Function
- LED

See page 25 for details

Artefact Series II Door Furniture

Rose Furniture

Description

The 260 Series Door Furniture has a 55 mm Round Rose. Concealed fixed plates have studs with internal threads located on the rose, visible roses have corresponding countersunk holes and are fixed back to back through the door.

Application

Designed for use with Lockwood 3570 Series Mortice Latches.

Features & Specifications

Dimensions

SS/Brass	55 x 2 mm
Aluminium	55 x 3 mm

Materials

Aluminium, stainless steel or brass.

Door Thickness

35 to 45 mm standard. For doors 45 to 55 mm thick, specify long fixing screws SP2000-208.

Finishes

Standard

Aluminium, Stainless Steel and Brass Door Furniture.

Non-Standard

Refer to page 23.

Ordering Procedure


The 260 Series may be ordered as a set to suit right or left hand doors. It is necessary to specify the furniture rose and finish code, eg 260261/96RSS.




Lever/Knob Selection

Aluminium				Stainless Steel	
20	88	96	98	96	98
Brass					
00	20	32	39	40	41*
42*	43	44	45	48*	49
50*	51*	53*	54*	57	59
60	61*	69	70	71	72
73	74	80	83	87	90
97					

Ordering Procedure




Limiting Dimensions



260 Operable	261 Operable	262 Blank	263 Blank	264 Fixed	265 Fixed

Escutcheon Furniture 50 mm Diameter



280	281	282	283	284	286

Legend:	Cylinder Hole	Turn-Snib	Slotted Button	Indicating Slotted Button	Disabled Turn-Snib
	Hotel-Motel Function				

See page 25 for details

Artefact Series II Door Furniture

Detention Furniture

Description

The 220 Series Door Furniture is 162 mm square x 2 mm thick stainless steel with 10 mm safety radius corners. Concealed fixed plates have studs with internal threads located in each corner, visible plates have corresponding countersunk holes and are fixed back to back through the door. Designed to eliminate "hanging" points.

Application

Designed for use with Lockwood 3570 Series Mortice Latches.

Features & Specifications

Dimensions

162 x 162 x 2 mm.

Materials

Stainless steel.

Door Thickness

35 to 45 mm standard. For doors 45 to 55 mm thick, specify long fixing screws SP2000-208.

Finishes

Standard

Satin Stainless Steel SS

Non-Standard


Refer to page 23

Ordering Procedure



The 220 Series is ordered to suit right or left handed doors. It is necessary to specify the furniture plate and finish code, eg 22001NB/14LSS.



Limiting Dimensions



Ordering Procedure



* Specify separated cylinder guard to suit door thickness


Door Thickness	Cylinder Part Number	Cylinder Guard Height	Cylinder Projection
35.0 mm	4488SC	12.0 mm	1.3 mm
40.0 mm	4489SC	10.0 mm	0.8 mm
45.0 mm	4486SC	8.0 mm	0.3 mm
48.0 mm	4487SC	6.0 mm	0.8 mm

Legend: Detention Knob

Detention Turn-Snib

Guard for 570 Cylinder

Artefact Designer Plate Series




This series allows the “designer” to sculpt your plate to match the decor, fittings or overall design of your project.

The lever selection as illustrated can be used on this series, with all the functions suitable for the 3570 Series Mortice Lock available.


When ordering this series, drawings must be submitted when specifying the 250/251 Series.

For the parameters for this series please contact your local Lockwood representative.




Corporate Engraving The “Q” Option

For the personalisation of project door hardware specify the “Q” option. Contact your local Lockwood representative for details.



Standard Engraving

The Illustrated Standard Engraving can be ordered with full infill or as an outline with infill. The standard infill is black. Other finishes available on application.



Outline infill



Full infill

Artefact Series II Door Furniture

218/219 10 mm Radius Corner Push/Pull Plates

Description

The 218 Series Door Furniture is 250 x 50 x 2 mm thick stainless steel or brass with 10 mm radius corners. Concealed fixed plates have studs with internal threads located in each corner, visible fixed plates have corresponding countersunk holes and are fixed back to back through the door.

Application

Designed for use with various Nightlatches and 3570 Series Mortice Locks. Specific reference must be made to the cylinder type.

Features & Specifications

Dimensions

250 x 50 x 2 mm.

Materials

Stainless steel or brass.

Door Thickness

35 to 45 mm standard. For doors 45 to 55 mm thick, specify long fixing screws SP2000-208.

Engraving

Options are available as indicated below.

Finishes

Standard

Satin Stainless Steel SS
Polished Brass PB

Non-Standard Refer to page 23

Ordering Procedure


The 218 Series is non-handed. It is necessary to specify the furniture plate and finish code, eg 21825EA/16SS.



D Handle Selection			
Stainless Steel 19 mm	16	17	18
Brass 16 mm	05	07	08
Centres	108 mm	152 mm	203 mm

Handle Numbers 07 & 08 available in Stainless Steel

Ordering Procedure Full Set



Legend: Cylinder Hole Turn-Snib Slotted Button Disabled Turn-Snib

Indicating Slotted Button

See page 25 for details
* Specify D Handle

Artefact Series II Door Furniture

216/217 10 mm Radius Corners Push/Pull Plates

Description

The 216 Series Door Furniture is 300 x 65 x 2 mm thick stainless steel or brass plate with 10 mm radius corners. Concealed fixed plates have studs with internal threads located in each corner, visible plates have corresponding countersunk holes and are fixed back to back through the door.

Application

Designed for use with various Nightlatches and 3570 Series Mortice Locks. Specific reference must be made to the cylinder type.

Features & Specifications

Dimensions

300 x 65 x 2 mm.

Materials

Stainless steel or brass.

Door Thickness

35 to 45 mm standard. For doors 45 to 55 mm thick, specify long fixing screws SP2000-208.

Finishes

Standard

Satin Stainless Steel SS
Polished Brass PB

Non-Standard Refer to page 23

Ordering Procedure

The 216 Series is non-handed. It is necessary to specify the furniture plate and finish code, eg 21625EA/16SS.



D Handle Selection				
Stainless Steel 19 mm**	16	17	18	19
Brass 16 mm	05	07	08	10**
Centres	108 mm	152 mm	203 mm	250 mm

Handle Numbers 07, 08 & 10 available in Stainless Steel

Ordering Procedure Full Set



300 x 65

21600NA	21700NA	21606NN	21706NN	21607NN	21707NN	21602NN	21613NN	21738NN
21625NA*/	21725NA*/	21627NN*/	21727NN*/	21624NN*/	21724NN*/	21626NN*/	21628NN*/	21742NN*/
21607AN	21607BN	21607CN	21607DN	21607EN	21607FN	21624BN*/	21624DN*/	21624GN*/

Legend: Cylinder Hole Turn-Snib Slotted Button Indicating Slotted Button Disabled Turn-Snib See page 25 for details
* Specify D Handle

Artefact Series II Door Furniture

214/215 10 mm Radius Corner Push/Pull Plates

Description

The 214 Series Door Furniture is 300 x 100 x 2 mm thick stainless steel or brass plates with 10 mm radius corners. Concealed fixed plates have studs with internal threads located in each corner, visible plates have corresponding countersunk holes and are fixed back to back through the door.

Application

Designed for use with various Nightlatches and 3570 Series Mortice Locks. Specific reference must be made to the cylinder type.

Features & Specifications

Dimensions

300 x 100 x 2 mm.

Materials

Stainless steel or brass.

Door Thickness

35 to 45 mm standard. For doors 45 to 55 mm thick, specify long fixing screws SP2000-208.

Finishes

Standard

Satin Stainless Steel SS
Polished Brass PB

Non-Standard Refer to page 23

Ordering Procedure

The 214 Series is non-handed.

It is necessary to specify the furniture plate and finish code, eg 21425EA/16SS.



D Handle Selection				
Stainless Steel 19 mm**	16	17	18	19
Brass 16 mm	05	07	08	10**
Centres	108 mm	152 mm	203 mm	250 mm

Handle Numbers 07,08 & 10 available in Stainless Steel

Ordering Procedure Full Set



21400NA	21500NA	21406NN	21506NN	21407NN	21507NN	21402NN	21413NN	21538NN
21425NA*/	21525NN*/	21427NN*/	21527NN*/	21424NN*/	21524NN*/	21426NN*/	21428NN*/	21542NN*/
21407AN	21407BN	21407CN	21407DN	21407EN	21407FN	21424BN*/	21424DN*/	21424GN*/

Legend: Cylinder Hole Turn-Snib Slotted Button Indicating Slotted Button Disabled Turn-Snib See page 25 for details
* Specify D Handle

Artefact Series II Door Furniture

Special Size Push & Pull Plates

Description

The 206/208 Series Door Furniture are 2 mm thick stainless steel or brass plates with 10 mm radius corners. Concealed fixed plates have studs with internal threads located in each corner, visible plates have corresponding countersunk holes and are fixed back to back through the door.

Application

Designed for use with various Nightlatches and 3570 Series Mortice Locks. Specific reference must be made to the cylinder type.

Features & Specifications

Dimensions

206 Series 250 x 200 x 2 mm.
208 Series 324 x 162 x 2 mm.

Materials

Stainless steel or brass.

Door Thickness

35 to 45 mm standard. For doors 45 to 55 mm thick, specify long fixing screws SP2000-208.

Finishes

Standard

Satin Stainless Steel SS
Polished Brass PB

Non-Standard

Refer to page 23


Ordering Procedure

The 206/208 Series is non-handed. It is necessary to specify the furniture plate and finish code, eg 20625NA/16RSS.




D Handle Selection	Stainless Steel				
		16	17	18	19


Ordering Procedure



206 Series (250 x 200 x 2 mm)



208 Series (324 x 162 x 2 mm)



Legend: Cylinder Hole Turn-Snib Slotted Button Indicating Slotted Turn Disabled Turn-Snib See page 25 for details
* Specify D Handle

Artefact Series II Door Furniture

Solid Brass Pull Handles

Application

All pull handles are designed for single handle application and can be used with Lockwood pull plates.

Features & Specifications

Fixing

Handles are concealed fixed. If ordered with Lockwood pull plates, handles are screw fixed to plates. Standard fixing screws are not supplied if handles are ordered separately.

Standard Finishes

Florentine Bronze	FB
Polished Brass	PB
Satin Black Chrome	SB
Satin Chrome Plate	SC



01, 02, 23

Ordering Procedure



Limiting Dimensions

Handle No	Length	Diameter	Height	Centre	Finger Clearance
01	117	22	35	108	25
02	162	22	35	152	25
03	212	22	35	203	25

Limiting Dimensions

Handle No	Length	Diameter	Height	Centre	Finger Clearance
04	120	13	45	108	32
05	124	16	48	108	32
06	165	13	45	152	32
07	• 168	16	48	152	32
08	• 219	16	48	203	32
09	• 222	19	54	203	35
10	• 269	19	54	250	35

• = available in Stainless Steel



04-10

Limiting Dimensions

Handle No	Length	Diameter	Height	Centre	Finger Clearance
11	130	22	45	108	40
12	128	20sqr	38	108	32

Handles 11 and 12 can be used with Lockwood 200 Series plates.



11

12

Limiting Dimensions

Handle No	Length	Diameter	Height	Centre	Finger Clearance
38	248	16	Base: 54 Top: 73	152	38

Designed for single handle applications and also for use with Lockwood pull handles for hospitals, disabled and elderly persons' institutions.

Material Solid brass.



38

Artefact Series II Door Furniture

Stainless Steel Pull Handles

Application

Designed for single handle applications. Handles numbered 16 to 19 can also be used with Lockwood 20000 Series stainless steel plates.

Features & Specifications

Materials

Stainless steel.

Dimensions

19 mm diameter x 1.2 mm thick stainless steel tube.

Fixing

Handles are concealed fixed. Fixing screws are not supplied if handles are ordered without plates.

Finishes

Standard

Satin Stainless Steel SS

Non-Standard

Polished Stainless Steel PS



Limiting Dimensions

Handle No	Length	Diameter	Height	Centre	Finger Clearance
16	127	19	54	108	38
17	171	19	54	152	38
18	222	19	54	203	38
19	269	19	54	250	38

Ordering Procedure



Stainless Steel Pull Handles with Rose

Application

Designed for single or double handle applications.

Features & Specifications

Materials


Handle: 19 mm diameter x 1.2 mm thick stainless steel tube.

Rose: Refer selection chart.

Door Thickness

Double Handle Application

Fixing screws suit door thickness up to 45 mm.



Standard Finishes

Florentine Bronze FB

Polished Brass PB

Polished Stainless Steel PS

Polyester Powdercoat PC

Satin Black Chrome SB

Satin Chrome Plate SC

Satin Stainless Steel SS


Limiting Dimensions for Roses 1360, 1370, 1220 Series

Handle No	Length	Diameter	Height	Centre	Finger Clearance
17	171	19	64	152	46
18	222	19	64	203	46
19	269	19	64	250	46

Limiting Dimensions for Roses 260 Series

Handle No	Length	Diameter	Height	Centre	Finger Clearance	
					SS, Brass	Alum
17	171	19	64	152	37	38
18	222	19	64	203	37	38
19	269	19	64	250	37	38

Ordering Procedure Full Set



Artefact Series II Door Furniture

Finishes

Stainless Steel Door Furniture

Standard Finishes

Satin Stainless Steel SS

Non-Standard Finishes

Polyester Powdercoat PC[†]
Polished Stainless Steel PS

Aluminium Door Furniture

Standard Finishes

Natural Anodised Aluminium NT

Non-Standard Finishes

Aluminium Bronze AB
Aluminium Olive Brown AO
Aluminium Grey AG
Sandal Gold SG

Brass Door Furniture

Standard Finishes

Chrome Plate CP
Satin Chrome SC
Black Chrome BC
Polished Brass PB
Florentine Bronze FB

Non-Standard Finishes

Satin Black Chrome BS
Polished Brass Unlacquered BU
Polyester Powdercoat PC[†]
Satin Brass SB

Polyester Powdercoat (PC)[†]

Colour Chart for Lockwood Door Furniture


Anodic Bronze* 19930 APO Grey* 32786
Azure Grey* 36603 Black 32694
Black Onyz 52052 Charcoal 32999
Charcoal Metallic 18796 Claret* 32774
Horizon Blue 33344 Deep Brunswick Green 50068
Black** 19319 Stone Beige** 32538
Oyster** 36858 Special White 81880
Pottery* 33662 Deep Cherry Red 81794
Red Earth 33149 Old Mauve* 51032
Anotec Dark Grey** 51275 Tropics 33704
Wedgewood* 50279

ICI Dulux colours. All colours are full gloss except where denoted *Satin and **Matt.


Note: Consideration should be given to match Cylinder Finish, eg PB.

Limiting Dimensions for Lever/Knob Selections

Aluminium




Stainless Steel



Limiting Dimensions for Lever/Knob Selections (continued)


Brass




00




20




32




39




40




41




42




43




44




45




48




49




50




51




53




54




57




59




60




61




62




70




71




72




73




74




80




83



87



90



97

Artefact Series II Door Furniture

Legend

Functions



Slotted Button



Indicating Slotted Button



Disabled Turn Snib



Flush Pull



Turn Snib

Standards



FIRE RATED

Fire Rated

Lockwood 20000 Series Door Furniture has been successfully tested on Fire Door Assemblies in accordance with AS 1905.1: Fire Resistant Doorsets.



S3 HIGHEST SECURITY

Strength & Durability

Lockwood 20000 Series Door Furniture has been strength and durability tested in accordance with AS 4145.2: Mechanical Locksets for Doors in Buildings to Level S3/D3.



D3 DURABILITY



ANTI-CORROSION


Anti-Corrosion

Lockwood 20000 Series Door Furniture has been tested for corrosion resistance in accordance with AS 2331.3.1 Neutral Salt Spray Test.

Plates



Concealed Fixed



Visible Fixed

Artefact Series II Door Furniture

Link Products

Mortice Locks

3570




3580



Twin Keying Systems

414/426



Hydraulic Door Closers

414/426




714/726




Hinges

B-Butt



Fast Fix



Entrance Handles

EF101



EF105





Visit us at: www.lockwoodsecurity.com.au

Sales Offices & Authorised Agents

Victoria – Head Office

50 Edward Street
Oakleigh Vic. 3166
Telephone (03) 8574 3888
Facsimile (03) 8574 3788

Queensland South

450 Sherwood Road
Sherwood Qld 4075
Telephone (07) 3373 5200
Facsimile (07) 3373 5256

Queensland North

Ralph Buck Agencies
15 Mackley Street
Garbutt Qld 4814
Telephone (07) 4779 0177
Facsimile (07) 4775 1480

New South Wales

Unit 7, 192 Kingsgrove Road
Kingsgrove NSW 2208
Telephone (02) 9554 4011
Facsimile (02) 9554 3772

South Australia

182 Magill Road
Norwood SA 5067
Telephone (08) 8364 1930
Facsimile (08) 8364 1931

Western Australia

45 Gladstone Street
East Perth WA 6004
Telephone (08) 9227 9588
Facsimile (08) 9227 8913

Tasmania

23 Antill Street
South Hobart Tas. 7000
Telephone (03) 6223 5404
Facsimile (03) 6224 0435

Northern Territory

Taylor Enterprises
Lot 1360 Makagon Road
Berrimah NT 0828
Telephone (08) 8984 3653
Facsimile (08) 8947 0082

New Zealand

9B Mahunga Drive
Mangere Bridge
Auckland New Zealand
Telephone (09) 634 5590
Facsimile (09) 634 5589

Export Department

50 Edward Street
Oakleigh Vic. 3166
Telephone +61 (0)3 8574 3888
Facsimile +61 (0)3 8574 3700



Manufacturing Plants

Victoria

50 Edward Street
Oakleigh Vic. 3166
Telephone (03) 8574 3888
Facsimile (03) 8574 3788

Queensland

450 Sherwood Road
Sherwood Qld 4075
Telephone (07) 3373 5200
Facsimile (07) 3373 5256

Asian Offices

ASSA ABLOY – Malaysia

ASSA ABLOY – Singapore

ASSA ABLOY – Thailand

ASSA ABLOY – Hong Kong

ASSA ABLOY – Shanghai

ASSA ABLOY – Beijing

Contact the Export Department, Australia for details.

Worldwide Distributors

Contact the Export Department, Australia for details.



Lockwood Guarantee

Lockwood Security Products Pty Limited ("Lockwood") guarantees its products against defects in workmanship and materials. If within the normal working life of a product it is found to be defective, Lockwood will supply the same or an equivalent product free of charge.

All electrical components used in our products are guaranteed for a period of five years from the date of manufacture. Lockwood however, assumes no liability under this guarantee for the following:

1. Improper installation or failure to follow fitting instructions.
2. Failure due to improper maintenance or fair wear and tear.
3. Indirect or consequential loss or damage.
4. Cost of removal and/or replacement.

5. Cost of freight and/or travelling time.

6. The plated finishes, Florentine Bronze, Architectural Bronze, Polished Brass, Gold and Satin Brass are classified as soft finishes. As deterioration is possible under some climatic conditions, these finishes are excluded from this guarantee.

7. Any modification to a product as supplied, or repairs, unless authorised by Lockwood.

8. Use of replacement parts other than authorised parts.

9. Malfunction or failure of the product due to the use of non-genuine Lockwood parts.

Nothing in the Lockwood guarantee excludes, restricts or modifies any condition, warranty, right or liability implied or protected by law where to do so would render the Guarantee, or any part of it, void.



Lockwood Security Products Pty Limited ABN 90 086 451 907 © 2001

An ASSA ABLOY Group company

ASSA ABLOY

PRODUCED BY FRONTLINE DESIGN CONSULTANTS

COM-CAT-010